

SPRII STEERABLE PIPE RANGER II

"The Standard of the Industry"



Versatile & Rugged

CUES

PERFORM CCTV PIPELINE INSPECTIONS IN SANITARY OR STORM DRAINS FROM 7" - 72" IN
DIAMETER! INSPECT UP TO 2000' RUNS!

STEERABLE PIPE RANGER II (SPR II)

Multi and Single Conductor II Wheeled Transporters

The Steerable Pipe Ranger II is a rugged and versatile robotic camera transporter designed to traverse silt, mud and debris commonly found in storm and sanitary sewers. The SPR II is designed with single-point wheel removal to facilitate speedy configuration changes for various pipe diameters and conditions.

The unit is designed to operate with all CUES inspection systems with up to 2000' of single-conductor or multi-conductor cable to inspect 7" relined pipe through 72" diameter pipe. The unique built in two (2) speed transmission doubles the torque of the unit to produce maximum pulling power in large diameter pipe when the 10.5" diameter tires are installed.



The SPR II can operate with 2000' of video to inspect 7" pipe through 72" diameter pipe.



The SPR II can operate with the CUES Digital Side Scanning Camera (DUC).

"The Standard of the Industry"



8" Rubber



10"- 15" Rubber



12" Pneumatic

ES



8" Steel




10" - 15" Steel



18" - 72" Knobby

FEATURES & BENEFITS

- Single point removal of wheels
- Optional remote operated electronic camera lift or manual camera lift
- Operates with all CUES cameras: pan-and-tilt and optical zoom
- Freewheel, powered reverse, forward variable speed control
- Operates with the CUES Digital Side Scanning Camera (DUC)
- Designed to provide clearance in a 7" diameter pipe; can inspect 8" relined pipe
- Optional tires available to accommodate various pipe conditions
- Two-speed transmission doubles the torque and maximizes traction in larger diameter pipe or in difficult pipe conditions
- Rear tip-up bulkhead connector minimizes strain on the cable connection during the inspection and retrieval
- * Wheels and spacers designed for the CUES Compact Steerable Pipe Ranger, LAMP II Lateral Launcher, and wheeled / tracked transporter can be used for the Steerable Pipe Ranger II without the need for modification



Multiple wheel sets are available to maximize bottom clearance, traction, and optimum camera position!



The SPR II can be used with the wireless Gamepad Controller for all camera and transporter functions.

Contact **CUES**

CUES has the most locations and dealers available to serve you! To find a local CUES facility, find the operating hours for a particular location, or to contact us at your most convenient stocking location, please log onto our website at www.cuesinc.com or call CUES' Corporate Headquarters in Orlando, Florida, for more information.



CUES Corporate Office
3600 Rio Vista Avenue
Orlando, Florida 32805
Phone: 800-327-7791
Fax: 407-425-1569
Hours: 8AM - 6PM EST M-Fri
Email: salesinfo@cuesinc.com
www.cuesinc.com

